GROENINK'S MATERIAL AND DATA SHEET GET A GRIP

Date Prepared: 2/13/16

I. Product Identity

PRODUCT NAME: 30-0-9 50% Slow Release 10% Nutri-Pel and 10% Ammonium Sulfate

MFR INFO: Groenink's Elevator and Hardware

11260 Michigan Ave. Nunica, MI 49448

FOR EMERGENCY: (800) 424-9300 (CHEMTREC)

FOR INFORMATION: (616) 837-7391

CURRENT AS OF: 3/26/16

II. Ingredient List

Potash

Duration-45

Urea

Ammonium Sulfate

Nutri-Pel

III. Ingredient: Potash

Product Name : **Potash**

Product Form : Mixture

Product Code : GRA, SOG, STD, SUS

Other Identification : Muriate of Potash: Granular, Standard, and Suspension Grades,

WST

Use of substance : Ferilizer

Physical state : solid

Appearance : Granular solid. Fine to 4 mm size.

Color : White to red

Odour : Slightly oily

Odour threshold : No data available

pH : 7 (approximately)

Melting point : 771 - 773 °C (1420 - 1423 °F)

Freezing point : No data available

Boiling point : $1420 - 1500 \,^{\circ}\text{C} \, (2588 - 2732 \,^{\circ}\text{F})$

Flash point : Not available

Self ignition temperature : Not flammable

Decomposition temperature : No data available

Flammability : Not flammable

Vapour pressure : 80 Pa at 20°C

Density : 1.98 g/cc

Solubility : Water: 347 g/l (at 20°C)

Explosive limits : Not explosive

Explosive properties : None known

Oxidizing properties : None known

VOC content : < 0.5 %

Reactivity : Stable at ambient temperature and under normal conditions of

use.

Chemical stability : Stable at standard temperature and pressure.

Possibility of hazards : Hazardous polymerization will not occur.

Conditions to avoid : Protect from moisture.

Incompatable materials : Contact with acids liberates toxic gas (chlorine). Contact with hot

mitric acid may produce toxic nitrosyl chloride.

Hazardous decomposition : Contact with strong acids may produce hydrogen chlorine gas.

Products

Firefighting Measures

Suitable extinguishing media: Not flammable. Use extinguishing media appropriate for

surrounding fire.

Fire hazard : Under conditions of fire this material may produce: Potassium

oxides; Hydrogen chloride; Chlorine gas.

Explosion hazard : Product is not explosive.

Reactivity : Stable at ambient temperature and under normal conditions of

use.

Firefighting instructions : Keep upwind. Under conditions of fire this material may produce:

Potassium oxides; Hydrogen chloride; Chlorine gas.

Protection during fire fighting: Wear full fire-fighting turn-out gear (full Bunker gear) and

respiratory protection (SCBA).

Other Information : Do not allow run off from fire fighting to enter drains or water

courses.

GHS-US classification

Eye Irrit. 2B H320

GHS-US labelling

Signal word (GHS-US) : Warning

Hazard statements (GHS-US): H320 – Causes eye irritation

Precaustionary statements : P264 – Wash hands thoroughly after handling

P305+P351+P338 – If in eyes:Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337+P313 – If eye irritation persists: Get medical

advice/attention.

Toxilogical Information

Acute toxicity : Not classified

Potash		
Additional information	Potassium chloride is listed by the FDA as	
	"Generally Recognizes as Safe" (GRAS and may	
	be used as a food additive according to prescribed	
	conditions.	
Potassium Chloride (7447-40-7		
LD50 oral rat	2600 mg/kg	
Sodium Chloride (7647-14-5)		
LD50 oral rat	3 g/kg	
LD50 dermal rabbit	> 10 g/kg	
LC50 inhalation rat (mg/l)	> g/m³ (Exposure time: 1 hr)	

Ecological Information

Ecotoxicity:	
Acute toxicity to fish:	(Lepomis macrochirus) (blue gill) – 96 hour –

	$LC_{50} = 2010 \text{ mg/L (ppm KCI)}$	
Chronic toxicity to fish:	No data available	
Acute toxicity to aquatic invertebrates:	(Daphnia magna) – 48 hours – EC ₅₀ – 337 – 825	
	mg/L; (Physa heterostropha) – 96 hrs – LC_{50} =	
	940 mg/L.	
Chronic Toxicity to Aquatic Invertebrates:	No data available	
Toxicity to aquatic plants:	((Nitzshia linearis)diatom) – 5 days – 120 hour	
	Tlm = 1,337 ppm KCI; (Scendesmus subspicatus) 72	
	hour - EC ₅₀	
Toxicity to bacteria: (activated)	No data available	
Toxicity to soil dwelling organisms:	No data available	
Toxicity to terrestrial plants:	No data available	
Enviromental Fate:		
Stability in Water:	Ions can persist, dissociates in water	
Stability in Soil:	Binds to clay particles	
Transport and Distribution:	1.51×10^{-8} % to air; 45.2% to water; 54.7% to	
	soil; 0.0755% to sediment	
Toxicity:		
Not toxic to aquatic organisms defined by USI	EPA	
Degration Products:		
Biodegradation:	No data available	
Photodegration:	No data available	
US State Regulations		
Potash	SAPA Sactin 211/212 Immediate (courts)	

Potash	SARA Sectin 311/312 Immediate (acute)	
		health hazard
Potassium Chloride (7447-40-7)	Listed on the United States TSCA (Toxic	

	Substances Control Act) inventory	
Sodium Chloride (7647-14-5)	Listed on the United States TSCA (Toxic	
	Substances Control Act) inventory	

Full text of H- phrases:

Eye Irrit. 2	Serious eye damage/eye irritation (Category 2)
Skin Irrit. 2	Skin corrosion/irritation (Category 2)
STOT SE 3	Specific target organ toxicity (single exposure) (Category 3)
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

IV. Ingredient: Duration-45

Product Name : **Duration CR** ® **urea**

Product Code : KAS_DURATION_US_EN

Physical State : Solid

Form : Granular solid

Color : Light brown to tan

Odor : Slightly ammoniacal

Chemical Family : Modified Urea Polymer

Reactivity : The product is non-reactive under normal conditions of use,

storage, and transport

Chemical Stability : Stable under normal temperature conditions

Possibility of Hazardous : Hazardous reactions do not occur

Reactions

Conditions to Avoid : Heat. Extreme temperatures.

Incompatable Materials : Strong oxidizing agents. Acids. Alkalis.

Hazardous Decomposition : Ammonia. Carbon Oxides. Nitrogen oxides (Nox)

Products

Reactivity : Reacts violently with strong oxidants, nitrates, inorganic chlorides,

cholorites, and perchlorates causing fire and explosion hazard.

Chemical Stability : Normally stable. May gradually give off ammonia. The product is

hygroscopic and will absorb water by contact with the moisture in

the air.

Possibility of hazard reactions: Hazardous polymerization does not occur.

Conditions to avoid : Moisture; High temperatures; Contact with incompatible

materials.

Incompatable materials : Strong oxidizing agents; Nitric acid; Nitrites

Hazard decompostition products: Carbon oxides; Nitrogen oxcides (Nox); Ammonia; Biuret

Toxilogical Information:

Inhalation : high concentrations of dust may irritate throat and respiratory

system and cause coughing

Skin contact : dust may irritate skin

Eye contact : dust may irritate eyes

Ingestion : may cause discomfort if swallowed

Symptoms : irrtiation, redness, scratching of the cornea, and tearing

Acute toxicity : may cause discomfort if swallowed

Components	Species	Test Results
Urea (CAS # 57-13-6)	Rat	14300mg/kg
Acute; oral; LD50		

Skin corrosion/irritation : may cause irritation through mechanical abrasion

Serious eye damage : may cause irritation through mechanical abrasion

Respiratory/skin sensitization:

Respiratory sensitization : based on available data, the classification criteria are not

met.

Skin sensitization : not a skin sensitizer

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : This product is not considered to be a carcinogen by IARC,

ACGIH, NTP, or OSHA

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Reproductive toxicity : Based on available data, the classification criteria is not met.

Specific target organ toxicity: Based on available data, the classification criteria is not met.

Aspiration hazard : Not an aspiration hazard

Chronic effects : Frequent inhalation of dust over a long period of time increases

the risk of developing lung diseases.

Further info : No other specific acute or chronic health impact noted.

Ecological Information:

Components	Species	Test Results
Urea (CAS # 57-13-6)	Leuciscus idus	>6810 mg/l, 96 hours
Aquatic Fish; LC50		

Persistance and degradability: No data available

Bioaccumulative : No data available

Partition coefficient n-octanol/water (log Kow)

Urea (CAS # 57-13-6)

Mobility in soil : This product is water soluble and may disperse in soil.

V. Ingredient: Urea

Product Name : Urea, Dry

Product Code : URGRAN

Product Form : Mixture

Product Group : Commercial product

Synonyms : Urea Granular; Urea Microprills; Urea Pastille; Urea Prills

Physical State : Solid

Appearance : Granules

Colour : White

Odour : Slight Ammonia

pH : 7.2 at 100g/l

Molecular weight : 60.07

Melting Point : Decomposes above 132.6 °C (270.7 °F)

Vapour Pressure : 80 Pa at 20°C

Flammability : Non-flammable

Density : 2.31 g/cm^3

Bulk Density : 44-49 lb/ft³

 750 kg/m^3

Solubility : 1,193 g/l at 25°C

Log Pow : -1.59 @ 20°C

GHS-Us Classification

Skin Irritation 2 H315

Eye Irritation 2A H319

STOT SE 3 H335

Hazard Statements (GHS-US)

H315 – Causes skin irritation

H319 – Causes serious eye irritation

H335 – May cause respiratory irritation

Precautionary Statements (GHS-US)

P261 – Avoid breathing dust

P264 – Wash hands thoroughly after handling

P271 – Use only outdoors or in a well-ventilated area

P280 – Wear eye protection, protective gloves, protective clothing

P302+P352 – If on skin: wash with plenty of water

P304+P340 – If inhaled: remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 – If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and east to do. Continue rising.

P312 – Call a POISON CENTER or doctor/physician if you feel unwell

P332+P313 – If skin irritation ocurs: Get medical advice/attention

P337+P313 – If eye irritation persists: Get medical advic/attention

P362 – Take off contaminated clothing

P403+P233 – Store in a well-ventilated place. Keep container tightly closed

P405 – Srore locked up

P501 – Dispose of contents/container in accordance with local regional, national, and international regulations.

Other Hazards : Hazardous to the aquatic environment

Reactivity : Stable at ambient temperature and under normal conditions of use

Chemical Stability : Stable ar srandard temperature and pressure

Possibility of hazardous : Hazardous polymerization will not occur.

Conditions to avoid : Protect from moisture. May slowly hydrolyze to ammonium

carbamate and eventually decompose to ammonia and carboon

dioxide.

Incompatable materials : May form explosive mixture if in contact with strong acid such as

nitric or perchloric acids. Avoid contact with: strong oxidizers; strong acids or bases; nitrates; hypochlorites. Reacts with sodium

or calcium hypochlorite to form explosibe nitrogen trichloride.

Fire Hazard : Decomposes above 132.6°C (270.7°F). Under conditions of fire

this material may produce: Ammonia, Nitrogen oxides, and/or Biuret. Short-term exposures to smoke and gases may lead to

irreversible lung injury without early signs and symptoms.

Explosion Hazard : Product is not explosive. May form explosive mixtures if mixed

with strong acid (Nitric/Perchloric) and strong oxidizers.

General Measures : Handle in accordance with good industrial hygiene/safety practice.

Signal Word : Warning

Aquatic Environment Hazard: Per OSHA 29 CFR 1910.1200(b)(5)(iii) labelling is not required

for URPRLMIF or URPRLCF as labelling is covered under the requirements of the Food and Drug Administration (FDA) of the

US Department of Agriculture (USDA).

Name	Product Identifier	% by Weight	GHS-US classification
Urea (Carbamide, Carbonyldiamide, Carbamidic Acid)	(CAS No.) 57-13-6	97.5 – 99.7	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Alkalinity, as Ammonia		150 ppm (max)	
Methylenediurea	(CAS No.) 13547-17-6	0 - 2.5	Eye Irrit. 2A, H319
Biuret	(CAS No.) 108-19-0	0 – 1.5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

Conrol Parameters:

Urea (57-13-6)		
USA ACGIH (nuisance dust)	ACGIH TWA (mg/m³)	10 mg/m³ – inhilation particulate
USA OSHA (nuisance dust)	OSHA PEL (TWA) (mg/m³)	5 mg/m³ – Respirable (particulate) Fraction: Urea

Toxilogical Information

Acute Toxicity : Not classified

LD50 Oral Rat	8471 mg/kg
LD50 Oral Rat	14,300 mg/kg-male; 15,000 mg/kg-female

LD50 Oral Mouse 11,500 mg/kg-male; 13,000 mg/kg-female

Skin corrosion/irritation : Causes skin irritation
Serious eye damage/irritation: Causes eye irritation

Respiratory or skin : Not classified

sensitisation

Germ cell mutagenicity : Bacterial Genetic Toxicity Invitro:

Gene Mutation:

 $Salmonella\ typhimurium-Bacterial\ reverse\ mutation\ assay:$

Negative Chinese Hamster - Chrosmosomal aberration test:

Positive (very high dose); Mouse: Positive (very high dose). Non-

Bacterial Genetic Toxicity In-Vitro: Chromosomal Aberration:

Mouse – Bone Marrow Cytogenetic test: Positive (extremely high

dose).

Carcinogenicity : Not listed in IARC Monographs, by NTP or OSHA

Reproductive Toxicity : Toxicity to Reproductive:

No toxic affects on mouse gonads up to 6,750 mg/kg/day.

No toxic affects on rat gonads up to 2,250 mg/kg/day.

Developmental toxicity/ Teratogenicity: Not teratogenic.

Specific target organ : May cause respiratory irritation.

toxicity (single exposure)

Specific target organ : Not Classified

toxicity (repeated exposure)

Aspiration hazard : Not Classified

Ecological Informations

Ecotoxicity	Acute Toxicity to Fish:	96 -h: (Barillius barna)
	Chronic Toxicty to Fish:	LC _{5 0} =>9,000mg/L
	Acute Toxicity to Aquatic	No data available
	Invertebrates:	(Daphnia magna): 24-h EC _{5 0} :
	Toxicity to Aquatic Plants:	> 10,000 mg/L
	Toxicity to Bacteria:	(Scenadesmus quadricauda)
		192-hr cell multiplication

	Toxicity to Soil Dwelling Organisms: Toxicity to Other Non Mammalian Terrestrial Species: Toxicity to Terrestrial Plants: Stablity in Water:	inhibition test-TT>10,000 mg/L No data available Applications of nitrogenous fertlizers to grassland for long periods of time may have deleterious effects on earthworms in the absence of liminig. (Pigeon) – Subcutaneous – LDLO = 16,000 mg/kg. Since Urea is a fertilizer, it may promote eutrophication in waterways. Non-toxic to aquatic organisms as defined by USEPA. 7 days exposure to 0mg urea / leaf-tip necrosis T½ > 1 year
Eviromental Fate:	Stability in Soil:	No data available
Toxicity:	Transport and Distribution: Non-toxic to aquatic organisms as defined by USEPA. No know toxicity.	.16% in air; 99.84% in water (calculated (Fugacity Level 1))
Degradation Products:	Biodegradation: Photodegradation:	Ultimetly biodegradable (OECDTG 302B) 93-98% (SCAS 24 hr) No data available.

Environmental Precautions

If spill could potentially enter any waterway, including intermittent dry creeks, contact the U.S. Coast Guard National Response Center at 800-424-8802. In case of accident or road spill notify CHEMTREC at 800-424-9300.

Containment and Cleaning Up

If contaminated with other materials, contain and collect as any solid in suitable containers. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Prevent large quantities from contacting vegitation.

Recover the product by vacuuming, shoveling, or sweeping and place in appropriate container to be disposed at an appropriate disposal facility according to current applicable laws and regulations and product characteristics at the time of disposal. Provide adequate ventilation. Avoid generation of dust during clean-up of spills. If uncontaminated, recover, reuse product.

Practice food housekeeping – spillage can be slippert on smooth surface either wet or dry.

Transport Information

UN number : No dangerous good in sense of transport regulations.

UN proper shipping name : Not applicable

Additional Information : No supplemetary information available.

Overland transport : No additional information.

Transport by sea : No additional information.

Air transport : No additional information availiable.

Regulatory Information

US Federal Regulations

Urea, Dry	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

Urea (57-13-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Biuret (108-19-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State Regulations

The following states have an OSH program approved by OSHA. If you are located in any of these states you may be under state jurisdiction rather than federal jurisdiction and your state may have more stringent requirements than OSHA. You should consult your state regulations to ensure compliance.

Alaska	Indiana	Minnesota	North Carolin	a	Utah
Arizona	Iowa	Nevada	Oregon		Vermont
California	Kentucky	New Mexico	Puerto Rico		*Virgin Islands
*Connecticut	Maryland	*New Jersey	South Carolin	a	Virginia
Hawaii	Michigan	*New York	Tennesee	Washir	ngton
*Illinois				Wyomi	ing

^{*}The state plans in these states apply only to public sector employers. In these states private sector employers are subject to USOL – OSHA jurisdiction. All other state plans apply to both public and private sector employers.

Urea (57-13-6)	
US – Minnesota – Hazardous Substance List	
US – Texas – Effects Screening Levels – Long term/Short term	

Other Information

NFPA health hazard : 2 – Intense or continued esposure could cause temporart

incapacitation or possible residual injury unless prompt medical

attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are

not reactive with water.

Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity (single exposure)	
	Category 3	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	

Product Name : Ammonium Sulfate

MSDS Number : 000000011568

Product Code : SULF-N

CAS-No. : 7783-20-2

Concentration : >98.50 %

Storage Temperature : <280 °C (<536 °F)

Physical State : granules

Color : colourless to brown

Odor : odourless

pH : 5.5

Density : 1.77 g/cm^3

Water Solubility : 410-750 g/l at 20-25 °C

Molecular Weight : 132.14 g/mol

Hazardous Decomposition : Sulphur oxides

Products Ammonia

Carbon Dioxide

Carbon Monoxide

Toxicological Information

Acute Oral Toxicity : LD50: 3,000 mg/kg

Species: Rat

Acute Dermal Toxicity : LD50: > 2,000 mg/kg

Species: Rat

Skin Irritation : Species: Rabbit

Result: Slight Irritation

Eye Irritation: : Species: Rabbit

Result: Slight Irritation

Genotoxicity in vitro : Note: In vitro tests did not show mutagenic effects

Ecological Information

Toxicity to Fish : LC50: > 460 mg/l

Exposure time: 96 h

Species: Leuciscus idus (Golden orfe)

Toxicity to daphnia and other: LC50: 423 mg/l

aquatic invertebrates Exposure time: 25h

Species: Daphnia magna (Water flea)

: LC50: 433 mg/l

Exposure Time: 50h

Species: Daphnia magna (Water flea)

: LC50: 292 mg/l

Exposure Time: 100 h

Species: Daphnia magna (Water flea)

VII. Ingredient: Nutri-Pel

Product Name : **Nutri-Pel Fertilizer**

Form : Solid pellets

Color : Dark

Odor : Earthly

Odor threshold : Not determined

pH-value @ 20°C : 6.7

Melting point/Melting range: Not determined

Boiling point/Boiling range : Not determined

Flash point : Not applicable

Flammability : Not determined

Decomposition temperature : Not determined

Auto igniting : Product is not self igniting

Danger of explosion : Product does not present an explosion hazard

Vapor pressure : Not determined

Relative density : Not determined

Vapor density : Not applicable

Evaporation rate : Not applicable

Solubility in water : Slightly soluble

Partition coefficient : Not determined

Other information : Bulk density: 55lbs/ft³

Reactivity : No further relevant information available

Chemical stability : Stable under normal conditions

Thermal decomposition : No decomposition is used according to specifications

Possibility of reactions : No dangerous reactions known

Conditions to avoid : Excessive heat; absorbs moisture in highly humid areas

Incompatible materials : No further relevant information available

Hazardous decomposition : Expected to emit the same types of toxic smoke as would be

released during combustion of other organic materials.

Hazard Identification:

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Eye Irrit. 2B H320 Causes eye irritation.

GHS label elements: This product is classified and labeled according to the Globally Harmonized

System (GHS)

Signal Word: Warning

Hazard-determining components of labeling: Activated Sewage Sludge (biosolids, dried microbes)

Hazard Statements: Causes skin and eye irritation; may cause respiratory irritation

Precautionary Statements: Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves, eye protection, and face protection. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If inhaled, remove victim to fresh air and keep at restin a position comfortable for breathing. Call a poison control doctor if you feel unwell. If skin irritation occurs, get medical advice. If eye irritation persists, seek medical attention. If on skin, wash with plenty of water. Take off your contaminated clothing and wash it before reuse. Store in a well ventalated place with the container tightly closed. Dispose of contents in accordance with your local/regional/national regulations. For specific treatments refer to the first aid instructions on this safety data sheet.

National regulations: The product is subjet to be classified according with the latest version of the regulations on hazardous substances.

State Right to Know: 308066-19-5

Activated Sewage Sludge (biosolids, dried microbes)

Skin Irrit. 2, H315; STOT SE 3, H335, Eye Irrit. 2B, H320; Aquatic Acute 2, H401

water, distilled, conductivity or of similar purity

Cationic Polyelectrolyte Polymer

Toxilogical Information

As a recycled product from a municipal water reclamation facility, biosolids have the potential to contain various pollutants. The US Environmental Protection Agency has extensively analyzed the risk from these pollutants and concluded that metals present significant risks at the levels likely to be found in Biosolids. In response, the US Environmental Protection Agency has established limits for nine

metals (40 CFR 503.13(b)). Metal concentrations in Nutri-Pel are consistently far below the applicable limits (40 CFR 503.13(b)(1)Table 3).

In biosolids, pathogens may present a risk. In response, the US Environmental Protection Agency has established pathogen limits. To destroy pathogens, Nutri-Pel is heated to 176°F and dried to a moisture content of less than 10%, which ensures compliance with the applicable limits (40 CFR 503.32(a)(7)).

Primary irritant effect: (skin: irritant to skin and mucous membranes) (eye: irritating effect)

Carcinogen categories:

IARC (International Agency for Research on Cancer): None of the ingredients listed.

NTP (National Toxicology Program): None of the ingredients listed.

OSHA-Ca (Occupational Safety and Health Administration): None of the ingredients listed.

Ecological Information

Aquatic toxicity: No further relevant information available

Persistance and degradability: No further relevant information available

Bioaccumulative potential: No further relevant information available

Mobility in soil: No further relevant information available

General Notes: Do not allow product to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment: (PBT: not applicable) (vPvB: not applicable)

Other adverse effects: No further relevant information available

Transport Information

UN-Number:

DOT, ADR, ADN, IMDG, IATA Non-regulated Material

UN proper shipping name:

DOT, ADR, ADN, IMDG, IATA Non-regulated Material

Transport hazard classes:

DOT, ADR, ADN, IMDG, IATA

Class: Non-regulated Material

Packing group:

DOT, ADR, IMDG, IATA Non-regulated Material

Environmental hazards: Not applicable

Special precaustions for user: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

UN "Model Regulation": Non-regulated Material

Regulatory Information

Safety, health, and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization)

Section 355 (extremely hazardous substances): None of the ingredients are listed.

Section313 (specific toxic chemical listings): None of the ingredients are listed.

TSCA (Toxic Substances Control Act): water, distilled, conductivity or of similar purity.

California Proposition 65

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals know to cause reproductive toxicity to females: None of the ingredients are listed.

Chemicals know to cause reproductive toxicity to males: None of the ingredients are listed.

Chemicals know to cause development toxicity: None of the ingredients are listed.

Carcinogenic categories:

EPA (Environmental Protection Agency): None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH): None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients are listed.

GHS label elements: The product is classified and labeled according to the Globally Harmonzed System (GHS)

VIII. Other Hazard Information

Environmental Protection:

Appropriate engineering controls: Use ventilation and dust collection to control exposure to below applicable limits.

Recommendations for personal protective measures: Respirable dust and quartz levels should be monitored regularly to determine worker exposure levels. Exposure levels in excess of allowable edposure limits should be reduced by all feasible engineering controlled including (but not limited to) wet suppression, ventilation, process enclosure, and enclosed employee workstations.

Any special requirements for PPE:

Eye protection: Safety glasses with side shields should be worn as minimum protection. Dust goggles should be worn when excessively (visibly) dusty conditions are present or anticipated.

Skin protection: Use gloves to provide hand protection from abrasion. In dusty conditions wear long sleeve shirt. Wash work clothes after each use.

Respiratory Protection: All respirators must be NIOSH-approved for the exposure levels present. (See NIOSH Respirator Selection Guide). The need for respiratory protection should be evaluted by a qualified safelty and health professional. Activities that generate dust require the use of an appropriate dust respirator where dust levels exceed or are likely to exceed allowable exposure limits. For respirable silica levels that exceed or are likely to exceed an 8 hr Time Weighted Average (TWA) of

0.5 mg/m3, a high efficiency particulate filter respirator must be worn at a minimum; however, if respirable silica levels exceed or are likely to exceed an 8 hr TWA of 5.0 mg/m3 a positive pressure, full face respirator or equivalent is required. Respirator use must comply with applicable MSHA (42 CFR 84) or OSHA (29 CFR 1910.134) standards, which include provisions for a user training program, respirator inspection, repair and cleaning, respirator fit testing, medical surveillance and other requirements.

Disposal Information:

Disposal instructions: Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.

Hazardous waste code: Not regulated

Waste from residues: Disposal recommendations are based on the material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Transport Information:

DOT – not regulated as dangerous goods.

IATA – not regulated as dangerous goods.

IMDG – not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code – not applicable. However, the product is covered under Appendix I of the IMSBC Code.

Regulatory Information:

US federal regulations: This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are listed on or exempt from the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) – not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) – not listed

CERCLA Hazardous Substance List (40 CFR 302.4) – not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate hazard – no

Delayed hazard - no

Fire hazard – no

Pressure hazard – no

Reactivity hazard – no

SARA 302 Extremely hazardous substance – not listed

SARA 311/312 Hazardous chemical – no

SARA 313 (TRI reporting) – not regulated

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List – not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) – not regulated

Safe Drinking Water Act – not regulated

Food and Drug – total food additive

Administration (FDA) – direct food additive; GRAS food additive

Other Information:

Further information: HMIS is registered trade and service mark of the NPCA. A HMIS Health rating including an * indicates a chronic hazard.

HMIS ratings: Health: 1

Flammability: 0 Physical Hazard: 0

Abbreviations: LC50: Lethal Concentration, 50%; LD50: Lethal Dose, 50%

IX. Conditions of Sale and Warranty

The directions of use for this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result beause of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of Groenink's Elevator and Hardware, Inc. or the Seller. All such risks shall be assumed by the Buyer. Groenink's Elevator and Hardware, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in its Direction for Use subject to the inherent risks referred to above. **Groenink's Elevator and Hardware, Inc USA makes no other express or implied Warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall Groenink's Elevator and Hardware, Inc. or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this Product.** Groenink's Elevator and Hardware, Inc. and the Seller offer this product, and the Buyer and user except it, subject to the foregoing Conditions of Slae and Warranty, which may be varied only by agreement in writing